




Industrial Cameras: Getting Started with USB 3.0 Board Cameras 27 Series





Getting Started with USB 3.0 Board Cameras 27 Series




Please note: lens holder (above, right) must be purchased separately.






Getting Started with USB 3.0 Board Cameras 27 Series



Remove protective foil from sensor.



• Place the lens holder over the sensor on the front of the PCB. Turn the PCB over. Using the two fixing screws provided, affix the lens holder from the back of the PCB.






Getting Started with USB 3.0 Board Cameras 27 Series



• The completed camera:



· Pin assignment







Headquarters: The Imaging Source Europe GmbH
Überseetor 18, D-28217 Bremen, Germany
Phone: +49 421 33591-0
North & South America: The Imaging Source, LLC
6926 Shannon Willow Rd, S 400, Charlotte, NC 28226, USA
Phone: +1 704-370-0110
Asia Pacific: The Imaging Source Asia Co. Ltd.
2F, No. 8, Xinhu 1st Road, Taipei City 114, Neihu District, Taiwan
Phone: +886 2-2577-1228
www.theimagingsource.com

All product and company names in this document may be trademarks and tradenames of their respective owners and are hereby acknowledged.

The Imaging Source Europe GmbH cannot and does not take any responsibility or liability for any information contained in this document. The source code presented in this document is exclusively used for didactic purposes. The Imaging Source does not assume any kind of warranty expressed or implied, resulting from the use of the content of this document or the source code. The Imaging Source Company reserves the right to make changes in specifications, function or design at any time and without prior notice.

Last update: May 2019

Copyright © 2019 The Imaging Source Europe GmbH, wpusb3board27series.en_US.pdf All rights reserved. Reprint, also in parts, only allowed with permission of The Imaging Source Europe GmbH.

All weights and dimensions are approximate. Unless otherwise specified the lenses shown in the context of cameras are not shipped with these cameras.